



Visit product page



FOS Q19 ULTRA

L006086

High power Wash / Beam moving head , 19 RGBW 40w 4in1 LEDs, linear zoom 6-60°, full pixel control, round ring with dynamic patterns, color temperature adjustment, 24,30,112 DMX channels, theater mode, 490x285x555mm 13kg.

TECHNICAL DETAILS

Description

Washlight fixture, with zoom, pixel effect, and front RGB ring, for visual effects. Smooth, and accurate colour mixing, for vivid or pastel colours. Easy temperature correction set, from a single DMX channel.

Light Source / Optics

19x 40 Watt main LEDs, 4 in 1 RGBW.
SMD RGB LEDs on the front ring, for RGB colour mixing, variable colour temperature, and chase effects.
Motorized zoom from 6 to 60 degrees.

Effects


Independent pixel control for each of the 19 main LED light sources.
Pre programmed chases, and patterns, with selectable background and foreground colours, are available via DMX.
DMX controlled pre programmed chases for the front ring, with adjustable speed.
Linear colour temperature set via dedicated DMX channel, from 2800 to 8000 K.

Technical Specifications

Input voltage: AC90 - 260 Volt AC, 50/60 Hz.
Maximum consumption: 530 Watt.

Approximate LEDs lifespan: 50,000 hours.
DMX controlled with 24 / 30 and 112 DMX channels.
Operates at a maximum of 45°C, indoor use only.
54dB noise level rating.
2x omega brackets for installation.
1x safety wire attaching point.
3pin XLR input output for DMX signal connection.
Fixture dimensions: 411 D x 280 W x 415 H mm.
Packing dimensions: 490 D x 285 W x 555 H mm.
Net weight: 13 Kg.
Gross weight: 17 Kg.

PHOTOS



PRODUCT VIDEO



ACCESSORIES



FOS Folded Clamp

Folded clamp for FOS moving heads. Suitable for Ti



FOS Double Case Wash Q19

Double Case with Wheels for 2 pcs Wash Quad.



FOS SUPER CLAMP 200 BLACK

Professional clamp for fixtures lifting weight 200



FOS SUPER CLAMP 200

Professional clamp for fixtures lifting weight 200



FC-PDC-3

Professional PowerCon / DMX cable 3 meter,

